







#### TABLE OF CONTENTS


INTRODUCTION	4
BLENDING TECHNOLOGY & ARTISTRY	(
GET INSPIRED	6
DESIGN Contemporary Classic Rustic Flat Panel Craftsman Custom Capabilities	18 20 28 38 44 48 55
GLASS Decorative Glass Standard Decorative Textured and Privacy Glass Grilles Caming Simulated Divided Lites (SDL) Transoms Sidelites	5.6 5.6 6.6 7.7 7.7
FINISH & COLOR  Paint Options  Stain Finishes  IWP® Foundry™ Finishes	78 80 82
DOOR SYSTEMS & ACCESSORIES  Door Systems  Sills, Hinges & Hinge Tips  Casings  Clavos, Straps, Speakeasies  Handle Sets	81 91 9 92
SPECIALTY APPLICATIONS	98
RATINGS & APPLICATIONS	108
PROTECTING YOUR DOOR	109
WARRANTY	110

JELD-WEN is not responsible for naturally occurring variations including but not limited to those resulting from lighting and manufacturing variations in density, texture, and stain.

# A WORK OF ART BUILT TO LAST

IWP® Aurora® luxury fiberglass doors have welcomed people to exceptional homes, high-end businesses, and historic buildings all over the U.S. thanks to their incredible strength and extensive array of design and aesthetic capabilities. Virtually indistinguishable from real wood, these doors consistently stand up to any climate — hot or cold, wet or dry — and are confidently backed by a Limited Lifetime Warranty. But it's their artistry that raises them to another level. Whether you choose for your entry a standard design or a custom creation, the broad range of woodgrain species, color finishes, glass patterns, and decorative accents available will help create a door that is stunning and one-of-a-kind.

Please see page 110 for warranty details.





# BLENDING TECHNOLOGY & ARTISTRY

IWP® Aurora® doors began as an ingenious solution to a real problem. Customers wanted real wood exterior doors for their homes in waterfront and coastal areas — locations highly damaging to natural wood products. Determined to create a high-end fiberglass door virtually identical to wood but able to withstand harsh climates, the IWP team hired designers from the boat industry. These innovative experts designed new doors from scratch, adapting familiar construction and finishing processes to build doors in the same way they once crafted boat hulls. As a result, IWP Aurora doors have a robust durability and a depth of color unlike any other fiberglass doors on the market today.


## EVERY IWP AURORA DOOR IS A MIX OF ADVANCED TECHNOLOGIES AND HUMAN TOUCH.

Each begins with a real wood door, selected for its rich woodgrain detail, hand shaped and carved, and sized to standard or custom measurements. A silicone mold is made of the wood door, capturing not only the shape of the door but the precise grain and character marks.

From there, we begin building the door from the outside in using our proprietary Strata<sup>™</sup> technology. A gel coat, sprayed onto the mold via robot and then UV cured, adds visual depth. A pigment coat enhances the woodgrain detail.


Our use of fiberglass sets us apart. Other fiberglass doors on the market today use "chopped" fiberglass and press it into shape with steel dies. IWP Aurora doors use fiberglass mat handapplied in layers for a thicker, stronger door skin that captures exact woodgrain details and has the capability to recreate virtually any custom-molded door up to 4' wide by 10' tall.





The next steps add strength and beauty. The fiberglass door skin is adhered to a strong, 4" LVL internal frame with cross rails and a 7/8" hardwood edge band that adds to the feel of a real wood door. (Unlike other fiberglass doors, our doors don't need extra blocking for special or commercial hardware.) A 12-pound density PolyMicro™ foam core is poured in to give the weight and "knock" of a solid wood door. Having constructed the door in halves, we machine-trim each half, join them together, and install glass if selected. From here, the door moves into a final multi-step finishing process that adds paint or stain.

This exacting construction method is unique to IWP Aurora doors, and it creates superior results you can see, touch, and feel.







## WARM WELCOME

Stand out or blend in. Every IWP® Aurora® door is made to impress.












## SETTING THE TONE

Create a door that beautifully captures your preferred mix of architectural styles.





# CREATE YOUR OWN RULES

Anything goes. Custom doors up to the challenge of your unique vision.











# STATEMENT PIECE

Make an unforgettable entrance in the size, shape, and color you desire.





# LASTING LUXURY

Incredibly strong. Impeccably made. With details that surprise and delight.








IWP® AURORA® | 17 16 | JELD-WEN.COM



# **DESIGN**

Breadth of design choices is another offering that sets IWP® Aurora® doors apart. Our standard designs include stunning choices that enhance and elevate architectural styles from sleek contemporary and updated traditional to coastal and European rustic. We also have the expertise and capabilities to construct a fully custom-made design based on your vision and preferences. Whether you choose to personalize one of our many standard door designs or create your own, your IWP Aurora fiberglass door will make an indelible first impression for its beauty, craftsmanship, size, and quality.





# SIMPLICITY AND SOPHISTICATION

Streamlined yet stunning, our contemporary door selection embraces straight lines and natural elements. Purposeful minimalism is at the heart of this look. These doors often feature wood-look details, tone-on-tone or neutral palettes, and an element of surprise. Contemporary accents are seen in stainless steel or black finishes.

Stains and paint colors shown are examples only.

Door designs are available in the color finish(es) of your choice.





**A20C**Mahogany Woodgrain shown in Honey and Cashmere Stains



A20H Mahogany Woodgrain shown in Honey and Cashmere Stains



**A50V**Mahogany Woodgrain shown in Mocha Stain



A50H Knotty Alder Woodgrain shown in Honey Stain



A01M

Mahogany Woodgrain
shown in Cashmere Stain
with Stainless Steel Overlay



A02M Mahogany Woodgrain shown in Cherry Stain with Stainless Steel Overlay



A30M Mahogany Woodgrain shown in Caramel Stain with Stainless Steel Overlay



A50H Rustic Cedar Woodgrain shown in Cashmere Stain



A42H Mahogany Woodgrain shown in Cashmere Stain with Square Grooves

All designs not available in all woodgrain species or surface options.



A52M Mahogany Woodgrain shown in Dark Cherry Stain with Stainless Steel Overlay



**A47V**Paint Surface shown in
Tricorn Black Paint



**A45H**Paint Surface shown in Granite Paint with Square Grooves



A50H Knotty Alder Woodgrain shown in Honey Stain with Black Metal Overlays



**A33G**Mahogany Woodgrain
shown in Sable Stain with
Clear Low-E Glass



A200 Paint Surface shown in Ivory Paint with Clear Low-E Glass



A21M

Mahogany Woodgrain shown in Honey Stain with Clear Low-E Glass and Stainless Steel Inlay



Mahogany Woodgrain shown in Sequoia Stain with Clear Low-E Glass and Stainless Steel Accents



**A20M**Mahogany Woodgrain shown in Chappo Stain with Clear Low-E Glass



A5005 Paint Surface shown in Foundry™ Metallic Black Paint with Clear Low-E Glass



A49H Mahogany Woodgrain shown in Platinum Grey Stain with Clear Low-E Glass



A5004


Paint Surface shown in

Foundry™ Silver Paint with

Clear Low-E Glass



A16V
Mahogany Woodgrain shown in Ebony Stain and Clear Low-E Glass




A802
Paint Surface shown
in Foundry™ Flat Black
Paint with Frosted Glass




A03H
Paint Surface shown
in Granite Paint with
Frosted Glass



A04H Mahogany Woodgrain shown in Custom Split Finish with Clear Low-E Glass











A15H
Mahogany Woodgrain
shown in Caramel Stain
with Clear Low-E Glass



A17H
Paint Surface shown
in Serenity Paint with
Reed Glass



A41H Mahogany Woodgrain shown in Sable Stain with Clear Low-E Glass



A800 Mahogany Woodgrain shown in Caramel Stain with Clear Low-E Glass



# ELEGANCE AND CHARACTER, UPDATED

Mixing familiar and formal elements with a refreshed take, classic doors feature balanced design, evenness of lines, and artisan touches. These designs deliver the rich warmth of wood with the lasting durability of premium fiberglass, and they complement home styles from updated traditional to farmhouse to coastal.

Stains and paint colors shown are examples only. Door designs are available in the color finish(es) of your choice.




A102 Mahogany Woodgrain shown in Caramel Stain



A902
Paint Surface shown in Tricorn Black Paint



**A110**Paint Surface shown in Magnolia Paint



A110
Paint Surface shown in Mahogany Woodgrain Radius
Cranberry Paint with Top shown in Sequoia Stain
Clear Low-E Glass with Clear Low-E Glass



A110 Mahogany Woodgrain Radius Top shown in Sequoia Stain



A432 Mahogany Woodgrain shown in Merlot Stain



**A412**Mahogany Woodgrain shown in Caramel Stain



Mahogany Woodgrain shown with Sequoia Stain and Top/ Bottom Panel Carving



A412 Mahogany Woodgrain shown in Dark Cherry Stain with AB Glass




**A890**Oak Woodgrain shown in Mocha Stain



**A110**Oak Woodgrain shown in Honey Stain



A160 Oak Woodgrain shown in Honey Stain



A180 Paint Surface shown in Fog Paint



A112
Paint Surface shown in
Eggshell Paint



A112

Mahogany Woodgrain shown in Sequoia Stain with Top Carving



A112
Oak Woodgrain shown
in Honey Stain with Clear
Low-E Glass

All designs not available in all woodgrain species or surface options.



**A465**Mahogany Woodgrain shown in Sequoia Stain



**A225**Oak Woodgrain shown in Honey Stain



Mahogany Woodgrain shown in Cashmere Stain



A302 Mahogany Woodgrain shown in Caramel Stain with Carving



A5001 Mahogany Woodgrain shown in Caramel Stain with Clear Low-E Glass



A5037 Mahogany Woodgrain shown in Cherry Stain with Clear Low-E Glass



A5037
Paint Surface shown in
Foundry™ Metallic Black
Paint with MW Glass



A5037 Paint Surface shown in Admiral Paint with MH Glass



A5037

Paint Surface shown in
Foundry™ Metallic Black
Paint with MV Glass



A302 Mahogany Woodgrain shown in Caramel Stain with Reed Glass



A252 Mahogany Woodgrain shown in Sequoia Stain with 252-A Glass



**A252**Mahogany Woodgrain shown in Chappo Stain



A5037 Paint Surface shown in Admiral Paint with MZ Glass



A5037 Mahogany Woodgrain Radius Top shown in Cherry Stain




A5037 Mahogany Woodgrain Segment Top shown in Cherry Stain with Clear Low-E Glass



A5001
Paint Surface shown in Swiss
Coffee Paint with Clear
Low-E Glass and 10-Lite SDL



A5001 Mahogany Woodgrain shown in Cashmere Stain with Clear Low-E Glass and 15-Lite SDL





A5501 Paint Surface shown in Caribbean Blue Paint with AD Glass




A5501 Paint Surface shown in Antiqued Granite Paint with Clear Low-E Glass and Maritime Grilles




A5501 Mahogany Woodgrain shown in Dark Cherry Stain with MM Glass



A5501 Mahogany Woodgrain shown in Cherry Stain with Cathedral Rose Glass and 3-Lite SDL



A5312 Paint Surface shown in Marine Paint with Clear Low-E Glass and 12-Lite SDL



A5037
Paint Surface shown in Foundry™
Flat Black Paint with Clear Low-E
Glass and Dark Patina Caming



A5501 Mahogany Woodgrain shown in Chappo Stain with Seedy Baroque Glass and 7-Lite Diamond SDL



**A212**Mahogany Woodgrain shown in Caramel Stain with Clear Low-E Glass



A5144 Mahogany Woodgrain shown in Honey Stain with Clear Low-E Glass



A5501 Mahogany Woodgrain shown in Antiqued Honey Stain with Clear Low-E Glass



A115 Mahogany Woodgrain shown in Dark Cherry Stain with T Glass



A250 Paint Surface shown in Skyline Paint with 250-Y Glass



A5501 Mahogany Woodgrain shown in Mocha Stain with Clear Low-E Glass and 4-Lite SDL



A5501 Mahogany Woodgrain shown in Mocha Stain with Clear Low-E Glass and 6-Lite SDL



A5501
Knotty Alder Woodgrain
Segment Top shown in Mocha
Stain with Clear Low-E Glass and
6-Lite SDL



Paint Surface shown in Foundry™ Flat Black Paint with Clear Low-E Glass and 8-Lite SDL





A5501 A5501

Mahogany Woodgrain Mahogany
Radius Top shown in in Antiqued
Mocha Stain with Clear
Low-E Glass and 8-Lite SDL 9-Lite SDL



Mahogany Woodgrain shown in Antiqued Honey Stain with Clear Low-E Glass and 9-Lite SDL



A5501 Mahogany Woodgrain shown in Antiqued Caramel Stain with Clear Low-E Glass and 12-Lite SDL



A5144 Mahogany Woodgrain shown in Honey Stain with Clear Low-E Glass and 6-Lite SDL



A5144 Mahogany Woodgrain shown in Cherry Stain with Clear Low-E Glass and 9-Lite SDL



A1202
Paint Surface shown in
Skyline Paint with Clear
Low-E Glass and V Grid SDL



A447 Mahogany Woodgrain shown in Cherry Stain with Clear Low-E Glass



A401 Oak Woodgrain shown in Cashmere Stain with Reed Glass





## EUROPEAN CHARM, AUTHENTIC APPEAL

Rustic doors are a feast of textures and accents. Designs often mix straight and curved lines, carved effects, and raised and plank-detail panels with a natural wood look. Metal accents such as clavos and straps — rendered in premium fiberglass — and a weathered or hand-hewn feel add to their robust demeanor and Old World beauty.

Stains and paint colors shown are examples only. Door designs are available in the color finish(es) of your choice.



A1221 Mahogany Woodgrain shown in Mocha Stain with Clavos



A1321 Mahogany Woodgrain shown in Merlot Stain with Clavos



A1301 Knotty Alder Woodgrain shown in Antiqued and Distressed Honey Stain

with Clavos and Straps



A1301 Mahogany Woodgrain Radius Top shown in Cashmere Stain with Clavos



A1301 Paint Surface Segment Top shown in Granite Paint with Clavos



A1350 Knotty Alder Woodgrain shown in Mocha Stain



A42H Mahogany Woodgrain shown in Chappo Stain



Mahogany Woodgrain shown in Antiqued Caramel Stain



Knotty Alder Woodgrain Radius Top shown in Antiqued Mocha Stain

All designs not available in all woodgrain species or surface options.

IWP® AURORA® 41 40 | JELD-WEN.COM



A1202 Knotty Alder Woodgrain shown in Cashmere Stain with Clavos



A1202 Knotty Alder Woodgrain Radius Top shown in Cashmere Stain with Speakeasy and Bordeaux Grille




A1222 Knotty Alder Woodgrain shown in Caramel Stain



A1302 Knotty Alder Woodgrain shown in Antiqued Caramel Stain



A1322 Knotty Alder Woodgrain Radius Top shown in Mocha Stain





A1260 Knotty Alder Woodgrain Segment Top Pair shown in Antiqued and Distressed Pebble Grey Stain with NP Glass and Clavos



A1322 Knotty Alder Woodgrain Radius Top Pair shown in Caramel Stain



A1322 Knotty Alder Woodgrain shown in Caramel Stain



A1302 Mahogany Woodgrain shown in Ebony Stain with Chinchilla Glass



A1260 Knotty Alder Woodgrain shown in Caramel Stain




A1260 Knotty Alder Woodgrain Segment Top shown in Antiqued Chappo Stain



A1209 Knotty Alder Woodgrain shown in Mocha Stain with Speakeasy and Seville Grille

IWP® AURORA® | 43 42 | JELD-WEN.COM






## STRAIGHTFORWARD AND STYLISH

Flat panel doors feature smooth surfaces, clean lines, and square sticking detail that keep designs streamlined. Multiple designs hearken back to classic American Shaker and mission style creations. Our variety of flat panel doors include trend-right choices for contemporary, coastal, and farmhouse style homes.

Stains and paint colors shown are examples only. Door designs are available in the color finish(es) of your choice.



A30M Mahogany Woodgrain shown in Caramel Stain with Stainless Steel Overlay



A33L A33G
Paint Surface shown in Swiss Coffee Paint Shown in Sable Stain w



A33G A383

Mahogany Woodgrain Mahogany Woodgrain shown in Sable Stain with shown in Cashmere Stain Clear Low-E Glass with Clear Low-E Glass and 3-Lite SDL with Dentil Shelf



A33

Paint Surface shown in

Foundry™ Metallic Black

Paint with Maritime Grilles



A1250

Paint Surface shown in Foundry™ Medium Bronze Paint with Clear Low-E Glass and Provence Grille



A5600 Mahogany Woodgrain shown in Caramel Stain with Flemish Glass and 4-Lite Low Profile SDL



A304
Paint Surface shown in
Swiss Coffee Paint with
Clear Low-E Glass with
C Grid SDL



A304
Paint Surface shown in Marine
Paint with Clear Low-E Glass
and 4-Lite SDL



A362 Paint Surface shown in Serenity Paint with Clear Low-E Glass

All designs not available in all woodgrain species or surface options.



# COMFORT AND CLASSIC DETAILS

A modern take on the 20th century American Arts & Crafts door style, our Craftsman doors elevate the familiar combination of eye-catching glass and solid flat panels. A wide range of decorative and energy efficient glass options lets you choose the look and results you want, with your preferred balance of views, light, privacy, and artistry.

Stains and paint colors shown are examples only. Door designs are available in the color finish(es) of your choice.



A362
Paint Surface shown in
Foundry™ Flat Black Paint
with Clear Low-E Glass and

6-Lite SDL



Mahogany Woodgrain shown in Cashmere Stain with Clear Low-E Glass and 3-Lite SDL





A387 Mahogany Woodgrain shown in Sable Stain with X Glass



Mahogany Woodgrain shown in Cashmere Stain with X Glass

All designs not available in all woodgrain species or surface options.





#### **CUSTOM CAPABILITIES**

In addition to our standard design offering, fully custom molded fiberglass doors are available.

We offer custom species, sticking, panels, glass, sidelites, transoms, grilles, hand carvings, and finish options. We also offer custom sizes, which can be helpful when you need a door crafted to prefit an existing opening or to replace a specific door with non-standard dimensions. The entire IWP® Aurora® offering is also available with a thickness of 2-1/4".

#### CARVING DETAILS

Many of our door designs are available with optional carved panels and details. Whether you want a custom traditional flourish or a contemporary company logo, we will hand carve your design into a custom wood door, then mold the unique detail of that design into the final fiberglass door. The only limit is your imagination.

#### PANEL PROFILES

Our standard door designs include one of three standard panel profiles. We can also work with you to create a custom panel shape if desired. Details such as panels and moldings may be matched to existing elements for restoration and replication projects.





#### DOODLL-IIIF

- Double hip raised panel
- Traditional appearance
- Permalane<sup>™</sup> prefinish
- 2. Matching hardwood edge band
- 3. LVL (laminated veneer lumber) stile
- 4. PolyMicro™ foam core
- 5. Detailed fiberglass skin
- 6. Raised panel
- 7. Raised molding




#### FLAT PANEL WITH SQUARE STICKING

- Flat panel with non-profiled sticking
- Simple, clean design
- 1. Permalane™ prefinish
- 2. Matching hardwood edge band
- 3. LVL (laminated veneer lumber) stile
- 4. PolyMicro<sup>™</sup> foam core
- 5. Detailed fiberglass skin
- 6. Flat panel
- 7. Non-profiled sticking



**EUROPEAN HIP RAISED PANEL** 

- Unique raised and fielded panel
- Convex raise enhances appearance
- Permalane<sup>™</sup> prefinish
- 2. Matching hardwood edge band
- 3. LVL (laminated veneer lumber) stile
- 4. PolyMicro<sup>™</sup> foam core
- 5. Detailed fiberglass skin
- 6. Raised panel
- 7. Raised molding



# **GLASS**

The addition of glass opens your door and your entrance to another level of artistic expression. It's a statement of beauty and taste — as well as an intentional balance of natural light, visibility, and privacy. Abundant glass choices including patterns, textures, and colors are available for our lited doors. Our talented team of artisans can also hand-cut, bevel, and shape individual pieces of glass for your own custom design, creating an original artwork for your entrance.

#### DECORATIVE GLASS

Unlike other door makers that purchase their patterned glass as pre-made inserts, the IWP® doors team includes a Custom Glass department with master artisans who build our decorative glass one piece at a time. This means we can offer a breadth of choices and an attention to detail our competitors can't match.

With our decorative glass offering, you have three options for creating the look you want.


#### **STANDARD**

Choose from our many standard decorative glass patterns or textured glass offerings.

(Additional options are available beyond what is shown in this book.) If you choose decorative glass, select one of three caming colors: Polished Zinc, Brass, or Dark Patina.








#### **SEMI-CUSTOM**

Choose the pattern you prefer, then replace specific elements such as caming or glass color to match your hardware or home color scheme.



#### GLASS LEGEND

CB=CLEAR BEVEL TH=THELA J=JEWEL

#### **CUSTOM**

Create a one-of-a-kind design using the individual elements available (glass type, color, caming, etc.). We can craft your door glass from a drawing, a photograph, or details from art or architecture. If it inspires you, we can replicate it.







### STANDARD DECORATIVE GLASS

Choose the decorative glass pattern you prefer from the options in this book. (Additional patterns are available.) You may also create a semi-custom solution for your door by starting with one of these patterns and then replacing elements such as caming or glass color to match your hardware or home color scheme. Matching sidelites and transoms available.











T GLASS

X GLASS

MW GLASS











MH GLASS

**MV GLASS** 

MZ GLASS

AD GLASS









MM GLASS


NP GLASS

MR GLASS

MK GLASS ND GLASS



IWP® AURORA® | **59** 58 | JELD-WEN.COM



## TEXTURED AND PRIVACY GLASS

Your IWP® Aurora® door may also be constructed with your choice of privacy glass, textured glass, tinted glass, or clear performance glass. These glass types used for our standard designs can also be used for your custom creations. Matching sidelites and transoms available. Please note: Patio doors are only available with clear insulating glass, clear beveled insulating glass, or Low-E insulating glass.

#### STANDARD TEXTURED AND PRIVACY GLASS







ARCTIC

BEVELED

TINTED BRONZE







CATHEDRAL ROSE

CHINCHILLA

COTSWOLD








DELTA FROST

ETCHED


FLEMISH


All glass images are shown with the same background for comparison.



All glass images are shown with the same background for comparison.

#### **ACCENT GLASS**








WATER PALE GREY WATER STEEL BLUE WATER TORNASOL SEEDY WATER PINK CHAMPAGNE WATER CHERRY RED

IWP® AURORA® | 67 66 | JELD-WEN.COM



#### GRILLES

Add artistry and elegance to your door and entry with your choice of a decorative grille atop a full lite or placed between glass. Each grille design is handcrafted in powder-coated aluminum to replicate the appearance of real iron grilles without the risk of rusting, even in coastal applications. Our standard grille designs complement a variety of home styles. Or craft a truly unique appearance with a custom grille pattern you create yourself. Sidelites and transoms with grilles are also available.









CATHEDRAL®

 $\textbf{CENTURY}^{\scriptscriptstyle\mathsf{TM}}$ 

CHATEAU™

**ETRUSCAN®** 









 $FLORENCE^{\mathsf{TM}}$ 

GEORGIAN™

HELIOS™

IWP® AURORA® | 69 68 | JELD-WEN.COM









 $\textbf{MEDITERRANEAN}^{\scriptscriptstyle{\text{TM}}}$ 













 $\textbf{VERSAILLES}^{^{\text{\tiny{TM}}}}$ 



TRELLIS





SUNDIAL®

PROVENCE MARITIME









Used in our decorative glass designs for door inserts, sidelites, and transoms, caming is the metal bonding material that fuses individual glass pieces together.

Our decorative glass is hand-assembled using Polished Zinc, Dark Patina, or Brass caming and triple glazed (inserted between two panes of clear safety glass).





POLISHED ZINC BRASS

DARK PATINA





# SIMULATED DIVIDED LITES (SDL)

A362 OAK WOODGRAIN SHOWN IN CHAPPO STAIN WITH FLEMISH GLASS AND 6-LITE SDL

With our simulated divided lites (SDL) option, your door takes on a classic, true divided lite appearance that requires little maintenance. Doors with an SDL design are frequently used as patio doors, which are available with clear insulating glass, clear beveled insulating glass, or Low-E insulating glass.




# TRANSOMS


Add dramatic height to your entrance and abundant natural light into your home. Our custom transom options, created to match or complement the design and aesthetic choices of your door, will set your entrance apart. Capabilities include custom shapes and sizes.

Additionally, our transoms coordinate with various sidelite designs. Using these elements in combination establishes a complete entry system.


# **ROUND TOP**








TDL




ND DECO GLASS


# **ELLIPTICAL**



**CLEAR GLASS** 



TDL




**CHERRY BLOSSOM DECO GLASS** 


# **RECTANGULAR**




**CLEAR GLASS** 




TDL




AB DECO GLASS




**CLEAR GLASS** 






Z DECO GLASS

## **CUSTOM SHAPES**





CLEAR GLASS

IWP® AURORA® | 75 74 | JELD-WEN.COM



# SIDELITES

Sidelites on one or both sides of your door make your entry visually larger, creating a first impression that sets the tone for the rest of your home. Our extensive standard options and custom capabilities make it easy to create a look that complements and enhances both your exterior door and your home's architectural style.








# FINISH & COLOR

IWP® Aurora® doors include one of the finest finishing processes in the industry. Like the construction of the doors, our multi-step, proprietary stain and paint finishing combine proven technology and hand-applied artistry along with the finest materials, such as commercial-grade catalyzed sealants. This attention to detail yields consistently exceptional results: warm woodgrain patterns and rich colors with clarity and depth, strengthened to stand up to the elements. Every IWP Aurora door is backed by a 10-Year Limited Warranty for factory finishing.











# PAINT OPTIONS

Throughout our seven-point Permalane™ paint finishing process, every step contributes to the beauty and longevity of the door:

- Light sanding to prepare the fiberglass surface for treatment.
- Surface cleaning with special solvents.
- Filler applied to smooth the door surface but keep a realistic woodgrain texture intact.

  With our intent to create a door as identical as possible to authentic, painted wood, the surface retains the character of real wood doors, with areas of smoothness and pronounced woodgrain detail.
- High-quality commercial primer added to prepare the door surface for paint.
- Fine-detail sanding between coats.
- Paint color applied via a catalyzed, hi-tec aliphatic polyurethane finish, a commercial-grade material and process that produce the finest finishing results in the industry similar to that of a car's paint finish.
- Catalyzed clear top coat, also commercial-grade, applied to add depth and protection.

# PAINT COLORS



# PRIMED DOORS

All IWP® Aurora® doors are available primed. This will allow you to paint your door the color of your choice, for ultimate flexibility. To ensure excellent paint adherence, our team follows the finishing steps for a painted door, ending with two coats of commercial primer with a step of fine-detail sanding in between.

JELD-WEN is not responsible for naturally occurring variations including but not limited to those resulting from lighting and manufacturing variations in density, texture, and stain.








# STAIN FINISHES

The exceptional quality and beauty of our stain finishes begin with the door's construction — with the gel coat that adds visual depth and the pigment coat that enhances woodgrain detail. From this foundation, we stain the door by hand before applying two rounds of commercial-grade catalyzed sealant, creating a clear, warm color that's impressive and enduring.


### **OAK FINISH**



### **MAHOGANY FINISH**



### **KNOTTY ALDER FINISH**



# Our eight-point Permalane™ stain finishing process:

- Light sanding to prepare the fiberglass surface for treatment.
- Surface cleaning with special solvents.
- Filler hand applied to enhance woodgrain appearance and texture. We use grain fillers that match the selected stain color to ensure an outstanding result.
- Stain hand applied for a rich, artisan appearance.
- Shade applied by airbrush for contrast that helps replicate a real wood look and enhance details/effects such as knots and antiquing.
- First catalyzed sealant applied a clear, commercial-grade polyurethane coat that protects.
- Fine-detail sanding between coats.
- Final catalyzed sealant applied a clear, commercial-grade top coat that adds depth and protection.

JELD-WEN is not responsible for naturally occurring variations including but not limited to those resulting from lighting and manufacturing variations in density, texture, and stain.



# IWP® FOUNDRY™ FINISHES

These innovative paint finishes, applied to our IWP® Aurora® doors, create the look of artisan iron and steel doors with the durable performance and easy maintenance of fiberglass — and none of the thermal changes or rust issues of real iron. With our wide range of standard door designs, we offer more style choices and aesthetic options than true iron door manufacturers. Or work with us to turn your custom design into a unique, iron-look entry for your home. Foundry™ paint finishes are available on all door designs.



Metallic Black



Flat Black





Silvar

Medium Bronze

JELD-WEN is not responsible for naturally occurring variations including but not limited to those resulting from lighting and manufacturing variations in density, texture, and stain.







A1250
Paint Surface shown in
Foundry™ Medium Bronze
Paint with Clear Low-E
Glass and Provence Grille



A5004

Paint Surface shown in

Foundry™ Silver Paint with

Clear Low-E Glass




A1260
Paint Surface shown in
Foundry™ Flat Black Paint
with Trellis Grille



Paint Surface shown in
Foundry™ Medium Bronze Paint
with Clear Low-E Glass



Paint Surface shown in Foundry™ Flat Black Paint with Clear Low-E Glass and 6-Lite SDL



# DOOR SYSTEMS & ACCESSORIES

The final selections made in creating a door system are a balance of aesthetics and daily-use practicality: from custom trim options that elevate the presentation of the door, to complementary sills that stand up to foot traffic, to locking handle sets that not only feel "right" in the hand but also deliver a sense of security. These choices bring your vision for a stunning entrance that much closer to completion.




# DOOR SYSTEMS

IWP® Aurora® doors are available as a book-size slab alone (ready to be installed into your existing door frame) or prehung as a unit within a frame.

Our Insignia® Door System prehung option is designed to be a "complete package" solution, ensuring the smoothest installation. It includes all necessary components: solid hardwood jambs, moldings, weatherstrips, concealed-bearing hinges (available with optional decorative hinge tips), and a choice of sill options. All parts are precision-machined for a correct fit and easy installation.

### FIBERGLASS ENTRY SYSTEM

This illustration shows the construction of our custom fiberglass entry system with a hardwood jamb.




SYSTEM 1
Single Door



**SYSTEM 1**Single Radius Door



**SYSTEM 1**Single Segment Door



Rabbeted

Weatherstripped Jamb

SYSTEM 2
Double Doors



**SYSTEM 2**Double Radius Doors



# SILLS


To help you create a cohesive look for your entrance, we offer standard aluminum sills with adjustable wood risers that coordinate with the door's finish. Wood sills are also available.







Adjustable Aluminum Sill



Rabbeted Weatherstripped Jamb

# HINGES & HINGE TIPS

Our solid brass concealed-bearing hinges are available in multiple finishes; choose one to match or complement the other hardware selected for your door. For added character, select one of our decorative hinge tips. They are available in three shapes and in any of our hinge finish colors.



# CASINGS

Our casing selection allows you to choose the most appropriate interior door trim for your home's architectural style. To create a distinctive look for your interior, we can also design custom casing patterns in widths up to 9" straight and 6" radius.

	ORDER NO.	DIMENSIONS		
Contemporary Astragal	ONDER NO.	DIMILIAZIONZ		
	#C26	2-27/32" X 1-1/2"		
Streamline Casing				
	#16	2-1/4" X 3/4"		
Colonial Casing				
	#13	3-1/2" X 3/4"		
Colonial Casing				
	#14	2-1/4" X 3/4"		
Casing				
	#17	4-1/2" X 1-3/16"		
Casing				
	#23	3-1/2" X 1-1/8"		
Casing				
	#24	3-1/4" X 11/16"		
Casing				
	#25	3-1/2" X 11/16"		
Fluted Casing				
	#15	3-1/2" X 3/4"		
Flat Casing				
	#\$4\$	UP TO 1-1/4" X 5		
Kerfed Astragal				
	#26	3-1/2" X 1-1/2"		
Kerfed Intermediate Mull Post				
	#11	DIMENSIONS VARY		
L		1		

	ORDER NO.	DIMENSIONS			
Rabbeted Jamb w/out Weatherstrip (non-kerfed)					
		*1-1/4" X 4-9/16" *1-1/4" X 5-1/4" *1-1/4" X 6-9/16"			
		*1-1/4" X 7-1/2"			
Rabbeted Kerted Weath	Rabbeted Kerfed Weatherstripped Jamb				
		**1-1/4" X 4-9/16" **1-1/4" X 5-1/4" **1-1/4" X 6-9/16" **1-1/4" X 7-1/2"			
Adjustable Aluminum Si	I				
	#31	ALUMINUM WITH BRASS FINISH ALUMINUM WITH BRONZE FINISH ALUMINUM WITH POLISHED ALUMINUM FINISH			
Solid Hardwood Sill					
	#34	1-1/4" X 7-1/4"			
Stucco Mould					
	#20S	2-1/4" X 1-1/8"			
Brickmould					
	#20	2-1/4" X 1-1/8"			
Brickmould					
	#21	3-1/2" X 5/8"			
Brickmould					
	#22	2" X 1-1/8"			

IWP® AURORA® | 91 90 | JELD-WEN.COM

# CLAVOS

Decorative round and diamond clavos add visual authenticity to rustic style doors. They are inspired in shape and hand-forged appearance by the functional bolt heads used in medieval and Renaissance architecture. Molded in fiberglass from real iron nail heads, our clavos designs are indistinguishable from real metal and will never rust.



1-3/4" Round Clavos, Dark Patina



1" Round Clavos, Dark Patina



1-3/4" Diamond Clavos, Dark Patina



1" Diamond Clavos, Dark Patina

# STRAPS

Add character and visual interest with a choice of corner, rail, and radius straps. Each strap is molded in fiberglass from a real iron strap and will not rust.



Rail Strap, Dark Patina



Radius Strap, Dark Patina



Corner Strap, Dark Patina

# SPEAKEASIES

While most speakeasies are placed around eye level, our customization options can place yours at the height of your choosing, depending on the design of your door. All speakeasies feature quarter-inch clear tempered glass standard; they are also available with energy-saving insulating glass.



Bordeaux Speakeasy Grille, Dark Patina



Rustic Speakeasy Grille, Dark Patina




Seville Speakeasy Grille, Dark Patina




Oval Speakeasy with Victorian Grille, Dark Patina



Optional Speakeasy Door





# HANDLE SETS

Made with attractive and durable materials, our exceptional lockset hardware delivers beauty and peace of mind. A broad design offering for both right-hand and left-hand doors ensures you will find a solution that complements the style of your door system and enhances your experience of home.

### FINISHES



Oil-Rubbed Bronze



Tumbled White Satin Nickel Bronze



Medium Bronze Flat Black



Bronze





Polished Chrome Stainless Steel

Satin Brass

### **TUBULAR**



WILSHIRE MILANO • Entry • Dummy

SANDCAST

• Entry • Dummy

**REMINGTON CODY** 



**MELROSE NORWICH** • Entry • Dummy



RICHMOND WEMBLEY • Entry • Dummy



WILMINGTON NORWICH • Entry • Dummy



SANDCAST GREELEY MONTROSE • Entry • Dummy



SANDCAST RECTANGULAR MONOLITHIC DURANGO



SANDCAST RECTANGULAR FULL-LENGTH CIMARRON • Entry • Dummy

• Entry • Dummy





**APOLLO HELIOS** • Entry • Dummy



**DAVOS STUTTGART** • Entry • Dummy



LAUSANNE • Entry • Dummy



ORION

• Entry • Dummy

**SANDCAST TETON** • Entry • Dummy



• Entry • Dummy

IWP® AURORA® | 95 94 | JELD-WEN.COM

### MORTISE



CAST CHEYENNE CODY • Entry • Dummy



**CAST TOPEKA MONTROSE** • Entry • Dummy



CAST RECTANGULAR MONOLITHIC DURANGO • Entry • Dummy



CAST RECTANGULAR **FULL-LENGTH** 



• Entry • Dummy



**CAST RECTANGULAR** CIMARRON



**MODERN STYLE HERMES** 



MODERN STYLE STUTTGART



MORMONT STUTTGART • Entry • Dummy



**ARTEMIS HELIOS** • Entry • Dummy



LUGANO GENEVA • Entry • Dummy



**HERA GENEVA** • Entry • Dummy



**MULTIPOINT LOCKS** 

**CAST ARCHED DURANGO** 

MODERN STYLE TURINO



CONCORD STYLE CORTINA



**RODOS ELLIPTICAL** 



MANHATTAN MILANO • Entry • Dummy



**MELROSE NORWICH** • Entry • Dummy



**CHARLESTON WEMBLEY** • Entry • Dummy



**ALBANY NORWICH** • Entry • Dummy



**VERONA ELLIPTICAL** 



**MUNCHEN MISSION** 



**RODOS MISSION** 



**VERONA MISSION** 



CRAFTSMAN HAMMERED EGG KNOB • Entry • Dummy



CRAFTSMAN **FULL LENGTH HAMMERED LEVER** • Entry • Dummy



**ARTS & CRAFTS** HAMMERED EGG KNOB • Entry • Dummy



**ARTS & CRAFTS** FULL-LENGTH HAMMERED EGG KNOB • Entry • Dummy

# **DUTCH DOOR**



**SQUARE STYLE HANOVER** 

• Entry • Dummy • Deadbolt



DURANGO



• Entry • Dummy • Deadbolt



SANDCAST RECTANGLE DURANGO • Entry • Dummy • Deadbolt

IWP® AURORA® | 97












# COMMERCIAL, RELIGIOUS, AND GOVERNMENTAL


We have crafted one-of-a-kind doors for businesses of all sizes and specialties, including restaurants and retail, destinations such as resorts and wineries, and much more. The durability and appearance of our doors have made them a preferred choice for high foot-traffic locations such as hotels, churches and synagogues, and continuing care facilities. For commercial hardware needs, we can complete machining in preparation for key card locks, panic hardware, raceways, and other custom requirements.













# ADAPTIVE REUSE AND HISTORIC REPLICATION

Recreating iconic entrances for historic buildings — churches, schools, university buildings, retailers, and more — is accomplished through close collaboration between JELD-WEN's network of knowledgeable Architectural Consultants and our innovative, experienced IWP® production team. Fashioning identical replicas of the original wood doors down to the smallest details in lasting fiberglass, we help these beloved locations continue to welcome guests for decades to come.










# PIVOT DOORS

A fresh way to create a modern entrance, IWP® Aurora® pivot doors are impressive both for their size and for their ease of operation. Rotating on a pivot box, even a larger panel can be opened with a simple touch, giving the illusion that the door is independent of its frame. Our pivot doors are a unique architectural solution for high-end residential and light commercial properties. Available with dual commercial roller catches, pull handles, and deadbolt locksets installed.



# FOLDING DOOR SYSTEMS

Connect your favorite living spaces effortlessly and with lasting beauty. Our folding doors operate accordion-style: each section slides smoothly on an overhead track and neatly folds to one side for full access to the indoors or outdoors. Fully customizable, these door systems are available in configurations of two panels to up to eight panels depending on the opening width.

In addition, many of our standard lited door designs are available as folding door systems.









# 4' X 10' SINGLE DOORS

IWP® Aurora® offers the largest selection of oversized fiberglass door designs in the industry. Many of our door designs may be crafted up to four feet wide and ten feet tall, creating a truly dramatic entrance for a home or business. We are currently the only manufacturer regularly producing doors with these dimensions in fiberglass.



# **RATINGS & REQUIREMENTS**

When you need more from your IWP® Aurora® doors depending on your location or preferences, we can guide you to solutions that meet your requirements.

### **ENERGY STAR® CERTIFIED**

ENERGY STAR® certified products exceed the minimum energy efficiency criteria for the climate region in which you live. Please ask your local dealer for the IWP® Aurora® doors that are ENERGY STAR® certified for your region.



### **EXTERIOR DOOR CERTIFICATIONS**

### **DOWNLOAD HERE:**

https://www.jeld-wen.com/ExteriorDoorCertifications

### ARCHITECTURAL DESIGN MANUAL AND TECHNICAL DOCUMENTS

### **DOWNLOAD HERE:**

Jeld-wen.com/IWPAuroraFiberglassDoorADMs

Jeld-wen.com/IWPAuroraFiberglassAcousticSTCRatings

Jeld-wen.com/IWPAuroraFiberglassStructuralASTMRatings

Jeld-wen.com/IWPAuroraFiberglassNFRCThermalRatings

### FIRE RATINGS

Select IWP® Aurora® doors meet 20-minute fire ratings. Please ask your local dealer for more details.

### **COASTAL RATINGS**

A number of IWP® Aurora® fiberglass door designs are available up to 4' wide by 10' tall in wind zone 3 rated systems. The design pressures +50/-50 or +50/-65, wind zone 3 certification applies to doors (inswing or outswing) up to 4' wide and 10' tall with a 2-1/4" thickness. All-panel and glazed designs are available.

### CALIFORNIA WILDLAND URBAN INTERFACE (WUI)

Select IWP® Aurora® doors meet the WUI building code requirement in California. Please see your local dealer for more details.

# PROTECTING YOUR DOOR

An overhang is recommended, but not required, for fiberglass entry doors and patio doors. Overhangs protect the door's finish, minimize the need for refinishing, and help keep the weather out of the home.

### **CLIMATE AND EXPOSURE**

Consider the variables specific to your region. The climate and the direction a door faces play a key role in determining a proper overhang. Typically, southern and western exposures are harshest. With southern exposures, the sun reaches the door from sunrise to sunset. In western exposures, the door receives sunlight in the hottest part of the day.

Without adequate overhangs, doors with a southern, southwestern, southeastern, or western exposure will require more frequent maintenance. Doors without appropriate protection may experience performance problems such as rapid finish deterioration, color fading, molding shrinkage, and water penetration between the moldings, panels, and glass. With proper overhangs, doors may face any direction (north, south, east, or west). Doors installed in these types of applications still require finish maintenance at some point.

### **COLOR CHOICE**

Color choice may affect how quickly the exterior of the door weathers in extreme climates. In general, darker colors absorb more heat than lighter colors. The exterior face of a door exposed to the sun in harsh environments can reach temperatures well in excess of 120 degrees. These extreme temperatures can cause noticeable damage to the door including finish deterioration and accelerated color fading.

For doors with little protection or doors installed in hot environments, light colors may help reflect the heat and slow down heat build-up. Depending on the exposure and environment, other precautions (such as overhangs) should be taken to protect the door from the effects of the sun.

# JELD-WEN® INTERIOR AND EXTERIOR DOOR SLAB AND SYSTEM LIMITED WARRANTY

### **OUR WARRANTY TO YOU...**

JELD-WEN® Products¹ are designed to create lasting value for your home. This warranty is effective for JELD-WEN products manufactured on or after June 1, 2019 for use in the United States and Canada. Any previous warranties will continue to apply to door products manufactured by JELD-WEN prior to this date. For additional information, including care and maintenance information, refer to www.jeld-wen.com or www.jeld-wen.ca.

### WHAT THIS WARRANTY COVERS

We warrant to the original owner<sup>2</sup> if your JELD-WEN Product exhibits a defect in material or workmanship within the time periods from the date of purchase as specified below, we will, at our option, repair, replace or refund the purchase price of the Product or component part. Skilled labor<sup>3</sup> (where deemed necessary by us) to repair or replace any component is provided for **one (1)** year from the date of purchase.

# Owner-Occupied Single-Family Residence Limited Warranty

**Door Slabs:** Except as set forth below, we warrant our door slabs, including any glass inserts, miscellaneous hardware, and accessories provided and installed by us, as follows:

Door Slab	Coverage	
Fiberglass Exterior Doors	As long as you own and occupy your residence	
Steel Exterior Doors	Ten (10) years	
Wood Exterior Doors	Five (5) years	
Interior MDF Doors	Ten (10) years	
All Other Interior Doors	Five (5) years	

**Factory Prefinish:** We warrant the factory-applied prefinish on our doors against peeling, checking, or cracking for periods listed below. Should the factory prefinish be proven defective, we will at our option, replace or refinish the door or pay up to the credit indicated per opening to the current owner. (Note: this coverage applies to factory-applied finish coat options only; standard factory-applied primer is not a finish coat.)

Product	Coverage	Refinish Credit
Aurora® Fiberglass Doors	10 years	\$350 per opening
Other Fiberglass and Steel Doors	10 years	\$100 per opening
Custom Exterior Wood Doors	1 year	\$250 per opening
Custom Interior Wood Doors	1 year	\$150 per opening
All Other Doors	1 year	\$100 per opening

**Door Frames:** We warrant our door frames for **one (1)** year from the date of purchase.

AuraLast® Protection for Door Slabs and Frames: Our AuraLast pine wood door slabs will be free from wood decay and/or termite damage for twenty (20) years from the date of initial purchase. Our AuraLast pine door frame components will be free from wood decay and/or termite damage for as long as the original consumer owns the home in which the AuraLast wood frames are originally installed. Warranty coverage outside Canada, the contiguous 48 states and Alaska is contingent upon approval from the JELD-WEN Customer Care Department. Please contact us.

**Severe Weather® Glass:** We warrant each Severe Weather glass unit for **ten (10)** years.

**Retractable Screens:** We warrant retractable roll screens for **five (5)** years.

**Stress Cracks:** Applies to sealed glass units installed in exterior doors. Laminated glass and special glazings are excluded. Coverage for **one (1)** year includes replacement glass and skilled labor<sup>3</sup> necessary

JELD-WEN® Products¹ are designed to create lasting value for your home. This warranty is effective for JELD-WEN products to replace the glass. Stress cracks occur when, in the first year after manufacture, the glass develops a crack without sign of impact.

# Commercial Limited Warranty (Other than Owner-Occupied Single-Family Residence)

All Door Slabs, Components, Prefinishes, and Options: Warranty coverage is the lesser of five (5) years from the date of purchase or the period indicated above for Owner-Occupied Single-Family Residences.

### Transferability

This warranty is not transferable.

### **HOW TO GET ASSISTANCE**

If you have a problem with your JELD-WEN Door, immediately upon discovery, contact the distributor or dealer from whom you purchased our product or contact us directly:

### In the United States:

Mail: JELD-WEN Customer Care

Attn: Door Warranty Claims

P.O. Box 1329, Klamath Falls, OR 97601

800-JELD-WEN (800-535-3936)

Fax: 800-436-5954

Email: CustomerServiceAgents@jeld-wen.com

b: www.jeld-wen.com/contact-us

### In Eastern Canada:

Phone:

Mail: JELD-WEN Service Department

90, rue Industrielle

Saint-Appollinaire, Quebec, Canada GOS 2EO

Phone: 800-463-1930 Fax: 888-998-1599

### In Western Canada:

Mail: JELD-WEN Service Department

550 Munroe Avenue

Winnipeg, Manitoba, Canada R2K 4H3

888-945-5627

204-668-8230

Fax: 204-663-1072

Email: wpgservice@jeld-wen.com

We can respond quickly and efficiently if you provide the following: a) date and location of purchase, or product identification from the tag on the top edge of the slab, b) how to contact you, c) the address where the product can be inspected, and d) a description of the apparent problem and the product (photographs are helpful).

### What We Will Do

Upon receiving your notification, we will send out an acknowledgment within three business days to the contact, which you have provided. We will investigate your claim and will begin to take appropriate action within 30 days after receipt of notification. If your warranty claim is denied, we may charge an inspection fee for an onsite inspection that is required or requested by you.

If your claim is approved, and we choose to repair or replace the product or a component of the product, the replacement product/ component will be provided in the same specification as the original product or its nearest equivalent current product. Replacement products, components and services are warranted for the balance of the original product or service warranty, or 90 days, whichever is longer

If the claimed nonconformity is warp of a door slab, we may defer repairing or replacing the door slab for a period up to 12 months from the date of claim. It is not uncommon for a temporary warp condition to occur as the door slab adjusts to local humidity and temperature conditions. This deferral will not be counted against the warranty period.

Continued on next page

### WHAT THIS WARRANTY DOES NOT COVER

JELD-WEN manufactures and sells both individual door slabs and complete door systems. This warranty does not cover parts or components (e.g., locksets, handles, etc.) not sold by JELD-WEN to the original owner. See your distributor or dealer regarding the warranty on the entire door system and/or these other components.

JELD-WEN is not liable for damage, product failure or poor product performance due to:

- Normal wear and tear, including normal wear and tear of weatherstrip; and natural weathering of surfaces. Variations in the color or texture of wood or finish; surface cracks that are less than 1/32" in width and/ or 2" in length; for knotty alder and juniper: surface checks that are less than 1/8" in width and/or 5" in length, and knot placement, quantity, or size.
- Normal wear and tear to hardware and naturally occurring changes to hardware finishes (e.g., corrosion or tarnishing).
- Misuse or abuse; failure to follow the care and maintenance instructions.
- Alteration or modification of the Product (e.g. customer applied peepholes, mail slots, security systems).
- Any cause beyond our reasonable control (e.g. fire, flood, earthquake, other acts of nature, and acts of third parties outside of our control).
- Failure to provide an adequate overhang for exterior doors; damage caused by extreme temperature buildup where storm doors are present. For general guidelines, see our "Appropriate Protection for Exterior Doors" in our product literature or at www.jeld-wen. com/resources; for specific information pertaining to your structure, consult your contractor or other building professional.
- Improper installation not in conformance with JELDWEN installation instructions (note: see www.jeld-wen.com for current installation instructions); operational problems and problems related to water and/or air infiltration/leaking as a result of improper installation or flaws in building design or construction.
- Installation into a condition that exceeds product design standards and/or certified performance specifications and/or is not in compliance with building codes.
- Improper field finishing of all surfaces (front and back) and edges (top, bottom, and sides) of the door slab and frame (See our Finishing Instructions at www.jeld-wen.com/resources); variation or unsatisfactory results in sheen or texture resulting from the field application of paint or any other finishing material.
- Bow or misalignment in the frame or jamb in which the door slab is hung (if such is purchased from JELD-WEN unmachined and not prehung).
- Wood decay for wood components other than of AuraLast pine; and wood decay for any wood components (including pine) that come in direct contact with soil. Note: superficial mold/mildew does not indicate wood decay.
- Structural integrity issues or other problems caused by improper field fitting of the hardware, improper sizing of the door slab, or other assembly problems.
- Hardware, accessories or inserts that are not provided by us.
- Condensation or damage as a result of condensation (Note: unless due to insulating glass failure, most condensation problems are related to excessive humidity levels in a structure; contact a heating/air conditioning specialist for help).

JELD-WEN is also not liable for:

- Warp for any 3'6" wide by 8' 0" high by 1 3/4", or smaller door slab, which does not exceed 1/4" in the plane of the door slab itself; door slabs wider and/or higher are not guaranteed for warp.
- Slight expansion or contraction due to varying environmental conditions; slab movement (shrinkage or swelling) of 1/4" or less due to temperature and humidity, consult our Care & Maintenance documents on how to work with this natural movement.
- Screen damage due to normal wear and tear, misuse, abuse, or insect or animal activity.
- Discoloration or rusting of decorative metal accent options, such as grilles, clavos, straps, etc.; discoloration of wood sills provided by us.
- Slight imperfections or wavy distortions in the glass that don't impair structural integrity. Note: wavy distortions in the glass (e.g. related to laminate interlayer or heat strengthening of glass) are not considered a defect. Slight color variations in glass are not considered a defect.

- Labor and materials for repainting or refinishing activities or the removal or disposal of defective product(s); labor exceeding the time periods specified above.
- Incidental or consequential damage. Some states/provinces do not allow the exclusion or limitation of incidental or consequential damages, so this may not apply to you.

# Important Legal Information -- Please read this carefully. It affects your rights.

This Limited Warranty document sets forth our maximum liability for our products. We shall not be liable for special indirect, consequential, or incidental damages. Your sole and exclusive remedy with respect to any and all losses or damages resulting from any cause whatsoever shall be as specified above. We make no other warranty or guarantee, either express or implied, including implied warranties of merchantability and fitness for a particular purpose to the original purchaser or to any subsequent user of the Product, except as expressly contained herein. In the event state or provincial law precludes exclusion or limitation of implied warranties, the duration of any such warranties shall be no longer than, and the time and manner of presenting any claim thereon shall be the same as, that provided in the express warranty stated herein. This Limited Warranty document gives you specific legal rights, and you may have other rights that vary from state/province to state/province.

Any dispute, controversy or claim arising out of or relating to this warranty, any alleged breach thereof, or the use or sale of the products to which this warranty applies shall be resolved by mandatory and binding arbitration administered by the American Arbitration Association in accordance with its commercial arbitration rules. Any ensuing arbitration will be venued in Charlotte, North Carolina. Original purchaser agrees that they may assert claims against JELD-WEN in their individual capacity only, and not as a plaintiff or class member in any purported class action proceeding. This warranty shall be interpreted in accordance with the laws of North Carolina (excluding North Carolina's conflict of laws principles). This warranty shall be interpreted in accordance with the laws of Oregon (excluding Oregon's conflict of laws principles). If any provision of this warranty is deemed illegal or unenforceable in a judicial proceeding, that provision shall be severed and excluded, and the remainder of this warranty shall continue in force. Rejection of these dispute resolution provisions must be sent to JELD-WEN at the address provided herein within thirty (30) days of original purchaser's receipt of the Products to which this warranty applies.

No distributor, dealer or representative of JELD-WEN has the authority to change, modify or expand this warranty. The original purchaser of this Product acknowledges that they have read this warranty, understand it and are bound by its terms and agrees to provide this warranty to the original owner of the structure into which the Product is installed.

1"JELD-WEN Products" shall refer to interior and exterior door slabs and systems marketed under the JELD-WEN brand name for use in the United States and Canada. See our separate Export Warranty for applicable coverage on products used outside the United States and Canada.

<sup>2</sup>This warranty extends to the original owner (original owner means the contractor/dealer/distributor/purchaser and the initial owner of the structure where the product is initially installed) and is not transferable. The original purchaser of this product acknowledges that they have read this warranty, understand it and are bound by its terms and agrees to provide this warranty to the original owner of the structure into which the product is installed. Should state or provincial law preclude no transferability, then the warranty period is effective as applicable up to **five (5)** years from the date of initial purchase for door slabs and systems and **one (1)** year from the date of manufacture for the factory prefinish.

<sup>3</sup>"Skilled labor" refers to tasks where specialized technical knowledge, experience, methods or tools are required to properly identify, diagnose and/or correct product-related problems.

© 2019, JELD-WEN, Inc. | JELD-WEN and AuraLast are registered trademarks of JELD-WEN. Inc.

